RECEIVED
CENTRAL FAX CENTER
APR 1 7 2006

WORKMAN NYDEGGER

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE (801) 533-9800
FAX (801) 328-1707

TELECOPIER COVER SHEET

April 17, 2006

Total Number of Pages (including cover letter):

15

Please deliver the transmitted facsimile pages to:

EXAMINER JOHN J. WILSON ART UNIT #3732

Business Phone

(571) 272-4722

Telecopier Phone:

(571) 273-8300

From:

RICK D. NYDEGGER/aam

Comments:

Please see attached.

Serial No.

10/749,059

Docket No.

7678.815

We are transmitting from a Sharp FO-750 or Sharp FO-6100 facsimile machine. If you do not receive all the pages or they are unreadable, please contact me as soon as possible at (801) 533-9800.

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

W:\7678\815\AAM0000000483V001.doc

FILED VIA FACSIMILE

PATENT APPLICATION
Docket: 7678.815

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE			REC		
In re application of) CE	NTRAL	_	
	Robert R. Scott)	APR '	1 7	2006
Serial No.:	10/749,059) Art Unit			
Filed:	December 30, 2003) 3732)			
Confirmation No.:	1212))			·
For:	DENTAL CURING DEVICE HAVING A HEAT SINK FOR DISSIPATING HEAT)) }			
Examiner:	John J. Wilson))			

CERTIFICATE OF FACSIMILE TRANSMISSION

Mail Stop AMENDMENTS Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

I hereby certify that this paper is being transmitted via facsimile at facsimile number (801) 328-1707 to the Patent and Trademark Office to phone no. (571) 273-8300 (Formal Fax No.) on the date shown below:

- Transmittal Letter (2 pages)
- Response to Non-Compliant Amendment "B" (11 pages)

Dated this 17th of April, 2006.

Respectfully submitted,

Attorney for Applicant Registration No. 28,651

Customer No. 022913

AAM0000001006V001

APR 17 2006

RICK D. NYDEGGER BRENT P. LORDMER THOMAS R. VUKSINICK LARRY R. LAYCOCK JONATHAN W. RICHARDS DAVID R. WRIGHT TOHN C. STRINGHAM JOHN M. GUYNN CHARLES L. ROBERTS DANA L. TANGREN ERIC L. MASCHOPP CHARLES J. VEVERKA ROSYN L. PHILLIPS RICHARD C. GILMORE " STERLING A. BRENNAN R. Burns Israelsen DAVID R. TODD DAVID B. DELLENBACH L. DAVID GRIPPIN ADRIAN I. LEE

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SAIT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WERSITE: HTTP://www.wnlaw.com

FILED VIA FACSIMILE

PATENT APPLICATION
Docket No. 7678.815

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



FRASER D. ROY

CARL T. REED

R. Pareigh Preeman, Jr. PETER P. MALEN, JR. L. REX SEARS, PH.D. William R. Richter ROBERT B. AYCOCK JENS C. JENKINS MICHAEL B. DODD BRETT A. HANSEN BRETT I. TOHNSON KEVIN W. STINGER RYAN D. BENSON SARA D. IONES TIGE KELLER Janna L. Jensen MATTHEW D. TOOD J. LAVAR OLDHAM MICHAEL J. FRODSHAM MATTHEW A. BARLOW WESLEY C. ROSANDER ANDREW S. HANSEN CHAD E. NYDEGGER JOSEPH G. PIA CLINTON R. DUKE RYAN N. FARR JAMES B. BELSTE Kirk R. Harris MICHAEL M. BALLARD DAYTO A. JONES SHANE K. JENSEN IONOTHAN M. BENNS, PH.D. SCOTT A. WOODSURY JOHN T. GADD MARK W. FORD AARON ML SMITH

VERNON R. RICE 5 OF COUNSEL

In re application of)
	Robert R. Scott)
Serial No.	10/749,059)Art Unit)3732
Filed:	December 30, 2003)
Confirmation No.:	1212)
For:	DENTAL CURING DEVICE HAVING A HEAT SINK FOR DISSIPATING HEAT)
Examiner:	John J. Wilson))

Mail Stop AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an amendment for entry in the above-identified application.

X No additional fee is required.

^{*} Admirred only in California

⁶ Admined only is Virginia

The fee has been calculated as follows.

				SMALL ENTITY		LARGE ENTITY	
	I	PRESENT EXTRA	RATE	ADDT'L FEE	RATE	ADDT'L FEE	
Total = 14	22	=	X		x	0.00	
Independent = 2	3	=	x		×	0.00	
I" PRESEN DEPENDENT C		MULTIPLE	+=		+		
			TOTAL		TOTAL	0.00	

- X The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178.
 - X Any filing fees under 37 CFR 1.16 for the presentation of extra claims.
 - X Any patent application processing fees under 37 CFR 1.17.
 - X Any fees for filing a terminal disclaimer under 37 CFR §§ 1.321(c) and 1.20(d).

Dated this ______, 2006

Respectfully submitted,

RICK D. NYDEG (FR // Registration No. 28,651

Attorneys for Applicant

Customer No. 022913

RDN:aam AAM0000001005V001

APR 17 2006

Ø 005/015

FILED VIA FACSIMILE

PATENT APPLICATION Docket No. 7678.815

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of)
	Robert R. Scott)
Serial No.:	10/749,059) Art Unit
Filed:	December 30, 2003) 3732)
Conf. No.:	1212)
For:	DENTAL CURING DEVICE HAVING A HEAT HEAT SINK FOR DISSIPATING HEAT)))
Examiner:	John J. Wilson)) ·
Customer No.:	022913))

RESPONSE TO NON-COMPLIANT AMENDMENT "B" AND RCE

Mail Stop AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In response to the Office action of January 9, 2006, and the Notice of Non-Compliant Amendment dated April 10, 2006, please enter the following replacement amendment

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper. The parenthetical designation has been corrected in claims 4-11, 14, and 16 of this version of Amendment B, as requested in the Non-Compliant Notice. The rest of the paper is the same as originally filed.

Remarks/Arguments begin on page 7 of this paper.